




800 X 2400  MM
&
1200 X 2400  MM
S L A B

Ultimate Collection for Infinte Possibilities

COUNTERTOP
SURFACES

GOOD FOOD AND A **WARM**
KITCHEN IS WHAT MAKES A
 HOUSE A HOME.



SINTERED ST  NE



This Is Where We Spend Our Happiest Moments
And Where We Find The Joy Of Being A FAMILY.



THE QUALITY OF BEING SOPHISTICATED.

APPLICATION AREAS






DOOR \ WINDOW
FRAME



OFFICE TABLE



STAIRCASE



BATHROOM COUNTER



1 Easy to clean



2 Hygienic surface / antibacterial



3 Water resistant



4 Impact resistant



5 Frost resistant



6 Scratch resistant and abrasion resistant



7 Chemical and stain resistant



8 Fire resistant



9 Heat resistant




10 Resistant to bending



FEATURES

This feature enables good hygiene and makes these tiles a suitable flooring material for any environment where hygiene is essential. The stain resistance of ceramic and porcelain tile varies depending on its capacity to resist moisture.

EDGE PROFILE




Squared ridge at 45°



Straight squared ridge




Double straight squared ridge



L-shaped squared ridge

EDGE PROFILE




Rounded ridge at 45°



Rounded straight ridge



Double straight rounded ridge



L-shaped rounded ridge



FULL BODY

C O L L E C T I O N

TYPOLOGY
Full Body

THICKNESS
15mm & 18mm

SIZE
800x2400mm
1200x2400 mm



Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm



Transform
criticism into
CREATIVITY.

APPLICATIONS

- 

Kitchen Countertop
- 

Dining Table
- 

Living Room
- 

Furniture
- 

Staircase
- 


Office Table
- 

Table Top
- 

Door \ Window Frame




Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm



ESPRESSO



WALNUT BROWN



ESSEL BROWN

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm

The combination
of different
MARBLE.



APPLICATIONS

- 

Kitchen Countertop
- 

Dining Table
- 

Living Room
- 

Furniture
- 

Staircase
- 

Office Table
- 

Table Top
- 

Door \ Window Frame



Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm



TERRAZZO BROWN SALT
& PEPPER



TERRAZZO BROWN FLAKES



TERRAZZO PEACH SNP

CHARACTERISTICS

- 

Hygienic Surface
- 

Impact Resistant
- 

Acid Resistance
- 

Heat Resistant
- 

Bending Resistant
- 

Scratch Resistant
- 

Slip Resistant



Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm



Design is a.
journey of
free SOUL.

APPLICATIONS

- 
Kitchen Countertop
- 
Dining Table
- 
Living Room
- 
Furniture
- 
Staircase
- 
Office Table
- 
Table Top
- 
Door \ Window Frame



Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm



TERAZZO BLACK SALT
& PEPPER



TERAZZO BLACK FLAKES

CHARACTERISTICS

- Hygienic Surface
- Impact Resistant
- Acid Resistance
- Heat Resistant
- Bending Resistant
- Scratch Resistant
- Slip Resistant



Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm

Perfect
for modern
ENVIR MENT.




APPLICATIONS


- 
Kitchen Countertop
- 
Dining Table
- 
Living Room
- 
Furniture
- 
Staircase
- 
Office Table
- 
Table Top
- 
Door \ Window Frame



Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm



PEARL WHITE



ROYAL QUARTZITE



SAGA WHITE

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm



simplicity is
the ultimate
SOPHISTICATION.

APPLICATIONS


- 
Kitchen Countertop
- 
Dining Table
- 
Living Room
- 
Furniture
- 
Staircase
- 
Office Table
- 
Table Top
- 
Door \ Window Frame



Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm



JET BLACK FULL BODY



JET BLACK GLAZE

CHARACTERISTICS

- 

Hygienic Surface
- 

Impact Resistant
- 

Acid Resistance
- 

Heat Resistant
- 

Bending Resistant
- 


Scratch Resistant
- 

Slip Resistant



Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm

EXPRESS
through the
MODERN STYLE.



APPLICATIONS

- 

Kitchen Countertop
- 

Dining Table
- 

Living Room
- 

Furniture
- 

Staircase
- 

Office Table
- 

Table Top
- 

Door \ Window Frame



Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm



TERAZZO VERDE SALT
& PEPPER



TERAZZO IVORY SALT
& PEPPER

CHARACTERISTICS

- 

Hygienic Surface
- 

Impact Resistant
- 

Acid Resistance
- 

Heat Resistant
- 

Bending Resistant
- 

Scratch Resistant
- 

Slip Resistant



Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm



Art is an
adventure, that
~~NEVER~~ ENDS.

APPLICATIONS

- 

Kitchen Countertop
- 

Dining Table
- 

Living Room
- 

Furniture
- 

Staircase
- 

Office Table
- 

Table Top
- 

Door \ Window Frame



Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm



TERRAZZO GREY SALT
& PEPPER



WALL STREET GREY

CHARACTERISTICS

- 

Hygienic Surface
- 

Impact Resistant
- 

Acid Resistance
- 

Heat Resistant
- 

Bending Resistant
- 

Scratch Resistant
- 

Slip Resistant



Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm



Crafted
skillfully to
Fit  Anywhere!

APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top




Door \ Window
Frame



Typology	Finish	Size	Thickness
Full body	Glossy & Matt	800x2400 & 1200x2400 mm	15 & 18 mm



DESERT GOLD



SCABAS

CHARACTERISTICS

- Hygienic Surface
- Impact Resistant
- Acid Resistance
- Heat Resistant
- Bending Resistant
- Scratch Resistant
- Slip Resistant

BLACK BODY

COLLECTION



TPOLOGY
Color Body

THICKNESS
15mm & 18mm

SIZE
800x2400mm
1200x2400 mm



Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm



The less you
EXPLAIN
The Better
The Design.

APPLICATIONS

- 

Kitchen Countertop
- 

Dining Table
- 

Living Room
- 

Furniture
- 

Staircase
- 


Office Table
- 

Table Top
- 

Door \ Window Frame



Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm



AMBRATO GOLD PLZAMA



BLACK PEARL



BLUE PEARL

CHARACTERISTICS

- 

Hygienic Surface
- 

Impact Resistant
- 

Acid Resistance
- 

Heat Resistant
- 

Bending Resistant
- 

Scratch Resistant
- 

Slip Resistant



Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm

QUALITY Spirit Of
This Tiles PROVIDING
VOLUME & INTEREST.



APPLICATIONS

- 

Kitchen Countertop
- 

Dining Table
- 

Living Room
- 

Furniture
- 

Staircase
- 

Office Table
- 

Table Top
- 

Door \Window Frame



Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm



GOLDEN PORTORO



LOURENT GOLD



LAMBRADOR BLACK

CHARACTERISTICS

- 

Hygienic Surface
- 

Impact Resistant
- 

Acid Resistance
- 

Heat Resistant
- 


Bending Resistant
- 

Scratch Resistant
- 

Slip Resistant



Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm



ELEGANT ARTISTRY
Adds A **QUALITY**
of PERFECT FINISH.

APPLICATIONS

- 

Kitchen Countertop
- 

Dining Table
- 

Living Room
- 

Furniture
- 

Staircase
- 

Office Table
- 

Table Top
- 

Door \ Window Frame




Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm



MARQUINA



ROSE BLACK



EMERALD PEARL

CHARACTERISTICS

- 

Hygienic Surface
- 

Impact Resistant
- 

Acid Resistance
- 

Heat Resistant
- 

Bending Resistant
- 

Scratch Resistant
- 

Slip Resistant



Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm

Make Your
Rooms Look
BIGGER with us.



APPLICATIONS

- 

Kitchen Countertop
- 

Dining Table
- 

Living Room
- 

Furniture
- 

Staircase
- 

Office Table
- 

Table Top
- 

Door \ Window Frame



Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm



FOREST GREEN



PORTORO BLACK



LEMURIAN BLUE

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant

WHITE BODY

C O L L E C T I O N



TPOLOGY
Color Body

THICKNESS
15mm & 18mm

SIZE
800x2400mm
1200x2400 mm



Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm



Make it
happen, tiles.
SHOCK everyone.

APPLICATIONS

- 

Kitchen Countertop
- 

Dining Table
- 

Living Room
- 

Furniture
- 

Staircase
- 


Office Table
- 

Table Top
- 

Door \ Window
Frame



Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm



APUANE STATUARIO



ARABESCATO GOLD



CALCATTa ELITE

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm

Design is where
SCIENCE & ART
BREAK even.



APPLICATIONS

- 

Kitchen Countertop
- 

Dining Table
- 

Living Room
- 

Furniture
- 

Staircase
- 

Office Table
- 

Table Top
- 


Door \ Window Frame



Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm



CRYSTAL ONYX



IMPERIAL WHITE



MARBLE VOLKAS

CHARACTERISTICS

- Hygienic Surface
- Impact Resistant
- Acid Resistance
- Heat Resistant
- Bending Resistant
- Scratch Resistant
- Slip Resistant



Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm



Make it simple,
but
SIGNIFICANT.

APPLICATIONS

-  Kitchen Countertop
-  Dining Table
-  Living Room
-  Furniture
-  Staircase
-  Office Table
-  Table Top
-  Door \ Window Frame



Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm



STATUARIO LUCIDATO



STATUARIO CALACATTA



STATURIO PEARL

CHARACTERISTICS

- 

Hygienic Surface
- 

Impact Resistant
- 

Acid Resistance
- 

Heat Resistant
- 

Bending Resistant
- 


Scratch Resistant
- 

Slip Resistant



Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm

Tiles bring in
the magic
of LU  URY.



APPLICATIONS

- 

Kitchen Countertop
- 

Dining Table
- 

Living Room
- 

Furniture
- 

Staircase
- 

Office Table
- 

Table Top
- 

Door \ Window Frame



Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm



TERRAZZO WHITE



PEBBLE WHITE

CHARACTERISTICS

- Hygienic Surface
- Impact Resistant
- Acid Resistance
- Heat Resistant
- Bending Resistant
- Scratch Resistant
- Slip Resistant

SINTERED STONE

Typology	Finish	Size	Thickness
Color body	Glossy	800x2400 & 1200x2400 mm	15 & 18 mm



SANTORINI WHITE



ORCHID JADE

CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant

TECHNICAL SPECIFICATION

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
-----------------	--	--------	-------------

REGULATORY PROPERTIES

Deviation in Length & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter

STRUCTURAL PROPERTIES

Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082

MASSIVE MECHANICAL PROPERTIES

Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5

SURFACE MECHANICAL PROPERTIES

Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101

THERMO HYGROMETRIC PROPERTIES

Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 -6	Max 6.5x10 -6	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11

CHEMICAL PROPERTIES

Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14

SAFETY PROPERTIES

Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

PACKING DETAILS

TILE SIZE	THICKNESS (approx.)	NO.OF TILES/BOX	WEIGHT/BOX (approx.)	COVERAGE AREA
800 X 2400	15 MM	1 Pcs	67 kg	20.67 Sq. Ft.
	18 MM		81 kg	
1200 X 2400	15 MM	1 Pcs	105 kg	31 Sq. Ft.
	18 MM		118kg	



Old Ghuntu Road, Trajpar Chowkadi,
8-A NH, Morbi-363642, Gujarat, India.

+91 90237 78198

www.radheceramics.com

export@radheceramics.com

